

✓ Jolliffe, Tisdall and Cannon's CLINICAL NUTRITION

New This Month! The clinical aspects of Nutrition and Diet complete in one volume.

By 36 Authorities: 925 pp., 61 Color plates, \$12.00.

✓ Harris' BRUCELLOSIS

New 2nd Edition! The complete clinical guide to management of this protean disease.

By Harold J. Harris, M.D., F.A.C.P., 635 pp., 111 illus., 12 full color plates, \$10.00.

√ Babkin's SECRETORY MECHANISM OF THE DIGESTIVE GLANDS

New 2nd Edition! This classic guide has been thoroughly revised and brought up-to-date.

By B. L. BABKIN, M.D., Research Professor of Physiology, McGill Univ.; 1056 pp., 233 illus., \$20.00.

Order From Your Bookseller or On Approval
From the Publishers

PAUL B. HOEBER, INC.

MEDICAL BOOK DEPARTMENT OF HARPER & BROTHERS
49 EAST 33rd STREET, NEW YORK 16, N. Y.

a new post-operative safeguard MAINTAINS HIGH ANTITHROMBIN LEVEL

EPSILAN PHOSPHATE

(d. 1—Alpha-Tocopherol Monosodium Phosphate, Warren-Teed
Aqueous Alpha-Tocopherol

Post-operative thrombi can occur if the antithrombin level is low.*

Epsilan Phosphate will maintain high antithrombin levels . . . intramuscularly, in conjunction with intravenous calcium gluconate.

Epsilan Phosphate appears to avoid the dangers of anticoagulant therapy...particularly in preventing post-operative hemorrhagic diathesis.

Preliminary unpublished data; Dept. of Surgery, Tulone Univ., John H. Kay and Alton Ochsner.

100 mg. (50 mg. per cc. in 2 cc. ampuls, boxes of 12 or 25)



THE WARREN-TEED PRODUCTS COMPANY . COLUMBUS 8 . OHIO




Wide antibacterial activity, low toxicity and virtual elimination of renal complications distinguish the use of Gantrisin* 'Roche', a new and remarkably soluble sulfonamide. Highly effective in urinary as well as systemic infections, Gantrisin does not require alkali therapy because it is soluble even in mildly acid urine. More than 20 articles in the recent literature attest its high therapeutic value and the low incidence of side-effects. Gantrisin is now available in 0.5 Gm tablets, as a syrup, and in ampuls. Additional information on request. HOFFMANN-LA ROCHE INC . NUTLEY 10 . N. J.

Gantrisin⁶

* Brand of sulfisoxazole (3,4-dimethyl-5-sulfanilamido-isoxazole)

"Roche"

in alcoholism...



Tolserol

Squibb Mephenesin (3-o-toloxy, 1-2-propanediol)

- to control tremor and quiet the patient
- for the relief of withdrawal symptoms
- to reduce or eliminate the use of paraldehyde and barbiturates
- administered orally and intravenously

Elixir, Capsules, Tablets, Solution

"TOLSEROL" IS A TRADEMARK OF E. R. SQUIBB & SONS

Effective Chemotherapy in TUBERCULOSIS

Streptomycin or Dihydrostreptomycin, used alone or in combination with para-amino-salicylic acid, is recognized as a valuable and, in some instances, an essential adjuvant in the treatment of selected types and stages of tuberculosis.

Para-aminosalicylic acid is capable of inhibiting or significantly delaying the emergence of bacterial resistance to streptomycin or dihydrostreptomycin.

These drugs are not to be regarded as substitutes for traditional therapeutic methods. Rather, they serve best when properly integrated with bed rest and, where necessary, collapse measures or other forms of surgery.


A. Before Treatment


(9 days prior to Dihydrostreptomycin therapy) Diffuse lobular tuberculous pneumonia, lower half of left lung; thin-walled cavity above hilus (3 x 3.5 cm.).

B. After 3 Mos. Treatment (2 days after discontinuance of Dihydrostreptomycin) Considerable clearing of acute exudative process in the diseased lung; cavity smaller and wall thinner.

Detailed literature on the subject of chemotherapy in tuberculosis will be supplied upon request.








MERCK & CO., Inc. Manufacturing Chemists RAHWAY, N. J.

Merck Antitubercular Agents

Streptomycin Calcium Chloride Complex Merck

Para-Aminosalicylic Acid Merck

Dihydrostreptomycin Sulfate Merck




Bargen reports "a large number of patients" with obstinate constipation "happily" and physiologically corrected with Cellothyl.

"These patients were not afflicted with any ordinary form of constipation, for they had taken large quantities or as some of them said 'barrels of laxatives' of one kind or another. The results achieved are all the more striking because the patients . . . felt that there was no hope for the relief of their obstinate constipation."

In cases of "obstinate constipation of long duration"—even from early childhood—a striking change for the better followed administration of Cellothyl.

In a physiologic manner: Cellothyl follows the normal physiologic gradient from mouth to rectum, providing bulk where bulk is needed—in the colon. Bargen demonstrated through the use of operative stomata that Cellothyl passes through the stomach in liquid form, then through the intestines as a more viscous fluid forming soft, moist bulk in the colon.

1. "A Method of Improving Function of the Bowel": J. Arnold Bargen, M.D., Division of Medicine, Mayo Clinic, Rochester, Minnesota, in Gastroenterology, 13:275 (Oct.) 1949.












A highly concentrated vitamin preparation especially suitable for routine prophylaxis or therapeutic administration to premature babies, infants, and growing children.

Palatable Uniform Utilization Well Tolerated Water Miscible Supplied In 15-cc. bottles. Contains Only 0.2% Alcohol Included is an easily read dropper which is calibrated to provide 0.15 and 0.30-cc. doses. Each average daily dose of 0.3 cc. contains: Thiamin Chloride (Vitamin B₁).... 1 mg. Riboflavin (Vitamin B₂)..... 0.5 mg. Pyridoxine (Vitamin B₆) Hydrochloride..... 0.5 mg. Pantothenic Acid (as Sodium Pantothenate)...... 1.5 mg. Nicotinamide...... 8 mg. Ascorbic Acid (Vitamin C)......60 mg. Vitamin A......3,000 U.S.P. or International units Vitamin D..... 800 U.S.P. or International units

ELI LILLY AND COMPANY
INDIANAPOLIS 6, INDIANA, U.S.A.

Fulfils Both Treatment Objectives in Vaginitis Therapy

"The treatment of trichomonas vaginalis vaginitis...has pretty well been narrowed down and standardized to two fundamental components of treatment. One is...the maintenance of the normal acid pH of the vagina...and, secondly, the use of a parasiticidal agent to assist in the eradication of the offending organisms."*



Floraquin®

... a product of Searle Research—fulfils both treatment objectives. It supplies the powerful protozoacide, Diodoquin-Searle (5,7-diiodo-8-hydroxyquinoline) together with lactose, dextrose and boric acid for restoring depleted glycogen and reestablishing a pH unfavorable to vaginal infections.

G. D. Searle & Co., Chicago 80, Illinois

Floraquin Powder—for office insufflation Floraquin Tablets—for patient's use

*Hardy, J. W.: Office Gynecology, J. Missouri St. M. A. 45:811 (Nov.) 1948.

SEARLE RESEARCH IN THE SERVICE OF MEDICINE



reliable, convenient, versatile, palatable

3 new



water-soluble liquid vitamin preparations

Potent, economical and pleasant tasting, these three new vitamin preparations are ideally suited for routine supplementation of diets of infants, children and adults. (They may be dropped directly into the mouth, stirred into the formula, or mixed into cereals or other solid foods. (Each is supplied in 15 and 50 cc. bottles, with an appropriately calibrated dropper to assure accurate dosage and facilitate administration.

POLY-VI-SOL

Each 0.6 cc. supplies:

Vitamin A
Vitamin D
Ascorbic Acid
Thiamine
Riboflavin
Niacinamide

5000 USP units
1000 USP units
50.0 mg.
1.0 mg.
0.8 mg.
5.0 mg.

TRI-VI-SOL

Each 0.6 cc. supplies:

Vitamin A 5000 USP units
Vitamin D 1000 USP units
Ascorbic Acid 50 mg.

CE-VI-SOL

Each 0.5 cc. supplies: Ascorbic Acid 50 mg.



MEAD JOHNSON & CO. EVANSVILLE 21, IND., U. S. A.

New York Office: MEAD JOHNSON & CO., Port of Authority Bldg., 111 Eighth Ave. Tel.: CHelsea 2-7222

Impaired lipid metabolism.

ATHEROSCLEROSIS

-LIKE RUST IN PIPES

causes arterial deterioration

Something new in choline therapy plus inositol

Extra Potency. WYCHOL is made with Tricholine Citrate. Each tablespoonful (15 cc.) provides 3 Gm. choline base (equivalent to 7.5 Gm. choline dihydrogen citrate) . . . plus an effective amount of inositol-0.45 Gm.

Taste Appeal. WYCHOL has a pleasant fruity taste and is only mildly acid (pH 5.4-5.5) Gastric distress or harm to teeth is minimized.

Economy. Lowest in cost on the basis of content of lipotropic factors.

Your patients will cooperate to get the most out of the therapeutic regimen when you prescribe

SYRUP OF CHOLINE AND INOSITOL WYETH

Professional literature sent on request SUPPLIED: Bottles of 1 pint.

*Trade Mark

Wyeth Incorporated, Philadelphia 3, Pa. Wyeth





Doctors Are Showing Increased Interest* In WALKER-GORDON

CERTIFIED

LOW FAT (Skimmed) MILK

Walker-Gordon Skimmed Milk is simply Walker-Gordon Certified Whole Milk from which the cream has been removed. It contains all the nutrients in Certified Whole Milk except the butterfat and fat soluble vitamins. It contains all the minerals including calcium and phosphorus, all the water soluble vitamins, all the amino acids, practically all the proteins and about one-half the calories found in whole milk. It is unsurpassed as a source of high quality protein which is so important during pregnancy, lactation, period of rapid growth and old age.

* AN ACTUAL SURVEY of 8,500 physicians in the New York City area has shown that Walker-Gordon Certified Skimmed Milk is widely used by the Medical Profession. The following uses were mentioned in the survey: Pregnancy and Lactation, Obesity in Children and Adults, Abnormal Bile Secretion, Celiac Disease, Infant Feeding Cases, Gastric Ulcers, Diarrhea, Psoriasis, Allergy, Diabetic Diets, Colitis, Acne, Eczema, and Hypertension.

Walker-Gordon Certified Skimmed Milk is handled by many leading dairy distributors in New York, New Jersey and Pennsylvania. Write or phone

WALKER-GORDON LABORATORY COMPANY

Plainsboro, N. J.

Tel. Plainsboro 2750



comparable with an injection

by mouth" with little sacrifice of potency.

This olved in Polyhydrol* base, a solid solvent,


the steroid hormones are absorbed directly from
the oral mucosa. Early hepatic inactivation
is obviated permitting a clinical effect "by mouth"
comparable with that of an intramuscular injection.

BUCCAL TABLETS

Indicated in adrenal insufficiency—CORTATE® Buccal Tablets; in male hypogonadism—ORETON® Buccal Tablets; in the menopausal syndrome—PROGYNON® Buccal Tablets; in habitual abortion—PROLUTON® Buccal Tablets.

Packaging: CORTATE Buccal Tablets (Desoxycorticosterone Acetate U.S.P.) 2 mg.; ORETON Buccal Tablets (Testosterone Propionate U.S.P.) 2.5 and 5 mg.; PROGYNON Buccal Tablets (Estradiol U.S.P.) 0.125 and 0.25 mg. and PROLUTON Buccal Tablets (Progesterone U.S.P.) 10 mg. — in bottles of 30 and 100.

Schering CORPORATION BLOOMFIELD, N. J.



ullet Vitamin B_{12} concentrate has just been made commercially available to the leading ethical pharmaceutical firms by Pfizer. As with all vitamins produced by Pfizer, Vitamin B_{12} concentrate will be marketed to leading pharmaceutical firms for incorporation in the end products you prescribe. Two forms—one for parenteral solutions and one for capsules and tablets—are available in economical forms.

As your unseen supplier, Pfizer provides Vitamins, Antibiotics and many fine chemicals to the pharmaceutical manufacturers of America, constantly maintaining standards of quality established over 100 years ago. Chas.

Pfizer & Co., Inc., 630 Flushing Ave., Brooklyn 6, N. Y.



Manufacturing Chemists for Over 100 Years

Herald Square, N. Y.

Parkchester, Bronx



Jamaica, Queens

Flatbush, Brooklyn

White Plains, N. Y.

MACY'S PRESCRIPTION DEPARTMENT

If it's new, Macy's has it. With the pharmaceutical industry constantly developing new drugs for the physician's use, Macy's stocks each product as soon as it is available. Your patient will not have to search out new drugs; we have them. And our prices are low.

No wonder so many physicians prefer Macy's Prescription Department.

......

THE INDICATION DICTATES THE CHOICE OF MEDICATION

Glycerol (Doho) by exclusive process gravity—and is virtually free

has the highest obtainable specific of water, alcohol and acids

IN ACUTE OTITIS MEDIA
REMOVAL OF IMPACTED CERUMEN
AS AN ADJUNCT TO SYSTEMIC ANTIINFECTIVE THERAPY, AS PENICILLIN, ETC.
CONTAGIOUS DISEASE EAR INVOLVEMENTS

CONTAGIOUS DISEASE EAR INVOLVEMENT

... because its potent decongestant, dehydrating and analgesic action provides quick, efficient relief of pain and inflammation in any intact drum involvement.

FORMULA:

 IN CHRONIC SUPPURATIVE
OTITIS MEDIA, FURUNCULOSIS
AND AURAL DERMATOMYCOSIS

USE O-TOS-MO-SAN

...a potent chemical combination (not a mere mixture), combining Sulfathiazole and Urea in AURALGAN Glycerol (DOHO)

Base—because it exerts a powerful solvent action on protein matter, liquefies and dissolves exuberant granulation tissue, cleaness and deodorizes, and tends to exhilarate normal tissue healing in the effective control of chronic suppurative of tits media.

FORMULA:

Urea	2.0	GRAMS
Sulfathiazole	1.6	GRAMS
Glycerol (DOHO) Base	16.4	GRAMS

Literature and samples sent to physicians on request.

DOHO CHEMICAL CORP. Makers of AURALGAN and O-<u>TOS</u>-MO-SAN NEW YORK 13

CAMP ANATOMICAL SUPPORTS

for ORTHOPEDIC CONDITIONS

Whether it be relief from lesser degrees of postural or occupational strain, or as an aid in treatment following injury or operation, the Camp group of scientifically

designed orthopedic supports for men, women and children will be found "comprehensive." Sacroiliac, Lumbosacral and Dorsolumbar supports may be prescribed for all types of build. The Camp system of construction fits the support accurately and firmly about the major part of the bony pelvis as a base for support. The unique system of adjustment permits the maximum in comfort. Physicians may rely on the Camp-trained fitter for the precise execution of all instructions.

If you do not have a copy of the Camp "Reference Book for Physicians and Surgeons", it will be sent on request.



THIS EMBLEM is displayed only by reliable merchants in your community. Camp Scientific Supports are never sold by door-to-door canvassers. Prices are based on intrinsic value, Regular technical and ethical training of Camp fitters insures precise and conscientious attention to your recommendations.

S. H. CAMP & COMPANY, JACKSON, MICHIGAN World's Largest Manufacturers of Scientific Supports

Offices in New York • Chicago • Windsor, Ontario • London, England

SOOTHING Modernized Simplified

BUROW'S SOLUTION

in four forms

Oinimens Powder DOMEBORO

Write for samples and reprints from medical



has added to its bathing and drinking cures the utilization of its natural mineral waters in the form of nebulized vapor-administered for the alleviation of certain respiratory diseases of allergic or other nature.

For literature write

WALTER S. McCLELLAN, M.D., Medical Director 610 Saratoga Springs New York

THE STATE OF NEW YORK . . . THE SARATOGA SPA

for the successful treatment of You may now prescribe

the DAXALAN-DOME-PASTE BANDAGE TECHNIQUE

AS INTRODUCED BY DR. WILLIAM M. COOPER, Director, Department of Peripheral Vascular Diseases — New York Polyclinic Medical School and Hospital.

This technique is based on a 3 point program-Reduction of dermatitis with wet dressings of DOMEBORO TABS (BUROW'S SOLUTION)

Combat local infection and stimulate healing with thick application of DAXALAN in the center of the ulcer and surrounding areas.

Overcome venous insufficiency, stasis and edema by wrapping DOME-PASTE BANDAGE around the entire leg to supply compression.

DOME CHEMICALS INC. 250 EAST 43rd STREET
Makers of the Soothing, Modernized Form of Burow's Solution
DOMEBORO — Tablets • Powder • Packets • Ointment

tablets ampuls powder suppositories

high theophylline content, ready solubility for rapid therapeutic effects in:

> **Bronchial Asthma** Paroxysmal Dyspnea Cheyne-Stokes Respiration

dubin aminophyllin



(theophylline-ethylenediamine)

H. E. DUBIN LABORATORIES, Inc. 250 E. 43rd St., New York 17, N.Y.

MAGER & GOUGELMAN, Inc.

FOUNDED 1851

510 MADISON AVENUE • NEW YORK 22, N. Y. • PLaza 5-3756


Specialists in the manufacturing and fitting of



PLASTIC AND GLASS EYES

The New Magnetic Implant Designed by Dr. Troutman Reprints and Catalogue Available

PARTICULAR ATTENTION GIVEN TO FITTING PROSTHESIS FOR MOTILITY IMPLANTS



Specialists in Plastic and Glass Artificial Human Eyes Exclusively

REFERRED CASES CAREFULLY ATTENDED

FRIED & KOHLER, Inc.

665 FIFTH AVENUE near 53rd Street NEW YORK, N. Y. Tel. Eldorado 5-1970

THE ONLY COMMODITY

of the Physicians' Home is warmly extended beneficiary aid to the battered and weary spirits of many aged colleagues throughout the State of New York. TO THESE, OUR GUESTS, LIFE BEGINS ANEW.

Make checks payable to

PHYSICIANS' HOME

52 EAST 66th STREET • NEW YORK 21

OFFICERS

Walter W. Mott, M.D., President
Harvey B. Matthews, M.D., Vice-President
B. Wallace Hamilton, M.D., Treasurer

Alfred Hellman, M.D., Assistant Treasurer Beverly C. Smith, M.D., Secretary Adrian Lambert, M.D., Assistant Secretary

SHOE ALTERATIONS

FROM OUR PRESCRIPTION FILES...

When proper shoes, with or without alterations, are indicated you can recommend Pediformes with confidence.

Rediforme

MANHATTAN 34 WEST 36th STREET
BROOKIYN 288 LIVINGSTON STREET
FLATBUSH 842 FLATBUSH AVENUE
EAST ORANGE — HACKENSACK — NEW ROCHELLE — HEMPSTEAD





When, in your opinion, beer can be beneficial in the convalescent's diet, it will be helpful to note the virtues of one brewed solely of barley-malt*.

Trommer's White Label is one of the few beers of this type produced in America. Carefully following the old-world formula, it is brewed solely of selected hops and fine barley-malt, but no other grain.

The result is a fine premium beer, light to taste, light to drink—a beer especially welcomed by the patient.

*Malted Barley is rich in an enzyme which digests starch in the production of maltose. (From "Accepted Foods and Their Nutritional Significance," by the Council on Foods of the American Medical Association)

TROMMER'S Solely of Malt and Hops White Label Premium BEER

JOHN F. TROMMER INC., BREWERIES AT BROOKLYN, N. Y.; ORANGE, N. J.

CHARLES B. TOWNS HOSPITAL Established 1901

FOR THE TREATMENT OF ALCOHOLISM

NARCOTIC AND BARBITURATE

ADDICTIONS EXCLUSIVELY

Complete Medical & Psychiatric Treatment at predetermined cost. Privacy of patient is assured—if desired.

Literature on Request

Wm. D. Silkworth, Medical Director
Edward B. Towns, Director

293 Central Park West, N. Y. 24, N. Y. SChuyler 4-0770

Member American Hospital Association

for accelerated transfusion HIRSCH-ADAMS BI-VALVE

A simple and inexpensive means of cutting transfusion time considerably below that required with gravity-feed systems.

A syringe is attached to the center fitting of the device, as illustrated. When the syringe plunger is pulled out it closes the outlet valve, opens the inlet valve and draws in fluid; pushing in the plunger closes the inlet valve and forces the fluid through the opened outlet valve. Inlet and outlet fittings are so ground that hypodermic needles can be attached to them directly or with rubber tubing.

Other uses include: intravenous injections, pooling of blood plasma, infiltration, aspiration, artificial pneumo-thorax, phlebotomy and irrigations.

"Every surgical tray should have on it the Hirsch-Adams Bi-Valve."

Ref.: Sidney Hirsch, M.D., N.Y., Annals of Surgery, Feb. 1943.

Order from your Surgical Supply Dealer

CLAY-ADAMS COMPANY, INC.

141 EAST 25th STREET . NEW YORK 10

Showrooms dies et 300 West Westblesten Street, CHICAGO S. III.





A-2566 Hirsch-Adams Automatic Bi-Valve; chromium plated each \$5.00

A-2566X Hirsch-Adams Automatic Bi-Valve Outfit; with Bi-Valve, clysis tubing, Luer hose adapter, sinker and 19 gauge Gold Seal needle......each \$6.50

For Making WET DRESSINGS Burow's Solution N.F.

PRESTO-BORO

POWDER IN ENVELOPES OR IN TABLETS

"PRINCIPAL INGREDIENT OF BASIC ALUMINUM ACETATE"

For wet dressings with astringent and antiphlogistic properties in the symptomatic treatment of inflammations, sprains, insect bites. For rapid healing by their antipruritic, decongestive action. Accurate dosage. Antiseptic. Stable. ACCEPTED BY U. S. ARMY & NAVY.

For Anti-Flatulent Effects in Intestinal Putrefaction and Fermentation

NUCARPON(R) Each tablet contains: Extract of Rhubarb, Senna, Precipitated Sulfur, Peppermint Oil and Fennel Oil, in a high activated willow charcoal base.


Action and uses: Mild laxative, adsorbent and carminative. For use in indigestion, hyperacidity, bloating and flatulence. Also for treatment of dermatoses. Dosage: 1 or 2 tablets daily ½ hour after meals. Bottles of 100.

STANDARD PHARMACEUTICAL CO., INC.

1123 Broadway, N. Y.

WAtkins 9-8469 - 8477





results 98% EFFECTIVE*

with ARGYPULVIS

*Report of Reich, Button and Nechtow in Surgery, Gynecology and Obstetrics . . . (See coupon offer.)

No more effective treatment has been developed than this simplified procedure... made possible with the newest adaptation of the always dependable ARGYROL. In the ARGYPULVIS technique for better control

of Trichomoniasis, the same powder used in office treatment is available in capsule form for supplemental home use. So...for effective treatment and better control...use and prescribe ARGYPULVIS.

• in two convenient forms • • • •



........................

For Use by the Physician 7-gram bottles fitting Holmspray or equivalent powderblower (in cartons of 3)

For Home Use by the Patient 2-gram capsule for insertion by the patient (in bottles of 12)



INTRODUCTORY TO PHYSICIANS: *On request we will send professional samples of ARCYPULVIS (both forms), together with a reprint of the Reich, Button and Nechtow report. (Use coupon.)

A. C. Barnes Company Dept. AM-50, New Brunswick, N. J.

Name.....

ARGYPULVIS

ARGYROL and ARGYPULVIS are registered trademarks, the property of A. C. BARNES CO., NEW BRUNSWICK, N. J.

Have a Coke



The pause that refreshes





Yes, doctors smoke for pleasure, tool in a nationwide survey, three independent research arganizations asked 113,597 doctors what cigarette they smoked. The brand named most was Camel.



Essenamine is available in three easy-to-take forms:

1. ESSENAMINE POWDER UNFLAVORED is virtually tasteless ... bland ... micronized powder ... blends well with milk, fruit and vegetable juices, broths, meat loaf, baked goods, custards, puddings, ice cream, etc. Cooking does not impair its value.

2. ESSENAMINE COMPOUND POWDER (with Carbohydrate 30%).

3. ESSENAMINE COMPOUND GRANULES (with Carbohydrate 25%).

Essenamine Compound Powder may be incorporated in milk, milk drinks, baked goods, custards, puddings, ice cream and other desserts. Essenamine Compound Granules are pleasantly crunchy and are eaten as such or with milk, cream and sugar.

• Essenamine[®]

Concentrated Source of All Essential Amino Acids



Essenamine Powder (UNFLAVORED), 7½ and 14 oz. glass jars. Essenamine Compound Powder (VANILLIN FLAVOR), 7½ oz. glass jars. Essenamine Compound Granules (VANILLIN FLAVOR), 7½ oz. glass jars.



An unsuspecting villager braves the night air for a stroll. A slinking stranger steals out of the shadows and slyly slips something into the stroller's pocket... a scrap of paper bearing one word: "Fever." The sinister character has shamelessly wished his fever on his neighbor, believing thus to rid himself of it.

Superstition has long been one of the greatest handicaps in the advance of medicine. In the past superstition was no more discouraging than the lack of dependable drugs for the treatment of disease. Today, the physician has at his disposal uniformly dependable medicinals.

For over 80 years physicians have relied on the uniform, dependable purity of Mallinckrodt products.

MALLINCKRODT PRESCRIPTION CHEMICALS

Vitamins

lodides Silver Salts
Bismuth Compounds Mercurials
Iron Compounds Salicylates
Diagnostic Aids Mandelates

Anesthetic Agents

Sulfonamides



Mallinckrodt Street, St. Louis 7, Mo. • 72 Gold Street, New York 8, N. Y.
Chicago • Cincinnati • Cleveland • Los Angeles
Montreal • Philadelphia • San Francisco
Uniform, Dependable Purity

maintain edema-free state

Only one or two tablets daily—plus an occasional injection—are needed to maintain the cardiac patient at "dry weight" employing Tablets MERCUHYDRIN® with Ascorbic Acid. Some patients—freed of accumulated fluid with parenteral meralluride sodium—may be kept edema-free on tablets alone.

Tablets MERCUHYDRIN with Ascorbic Acid permit daily fluid control with a minimum of injections facilitating the frequent-dosage schedule of modern diuretic therapy.

ideal for ambulant patients and those who cannot be given frequent injections.

well tolerated when prescribed in the recommended dosage.

effective in producing mild, sustained diuretic action.

convenient—the oral is the safest and most convenient route.

Keep your cardiac patients edema-free with . . .

Jablets MERCUHYDRIN[®]

WITH ASCORBIC ACID

dosage: One to two tablets daily-morning or evening-preferably after meals.

available: Bottles of 100. Each tablet contains meralluride 60 mg. and ascorbic acid 100 mg.



NEW! Carmethose-Trasentine

Doubly effective in relieving gastric discomfort...


Carmethose-Trasentine is a logical combination of a new antacid and an effective antispasmodic to control gastric discomfort.

Controls hyperacidity . . . This combination lowers gastric acidity and forms a protective coating which has been observed in the stomach for as long as three hours.

Controls spasm . . . Carmethose-Trasentine relieves gastric pain also by relaxing smooth muscle spasm. The anesthetic effect of Trasentine further controls gastric irritability. Carmethose-Trasentine is non-constipating, palatable and eliminates acid-rebound.

Issued: Carmethose-Trasentine Tablets: sodium carboxymethylcellulose, 225 mg.; magnesium oxide, 75 mg.; Trasentine, 25 mg. Bottles of 100.

Carmethose without Trasentine is also available for use in cases where the antispasmodic component is considered unnecessary. Available as Tablets, each containing sodium carboxymethylcellulose 225 mg., with magnesium oxide 75 mg., and as Liquid, a 5% solution of sodium carboxymethylcellulose.



Pharmaceutical Products, Inc., Summit, N. J.